

Medical Devices Zone

Accessibility Conformance Report - International Edition

Name of Product/Version

Medical Devices Zone | medicaldeviceszone.com

Report Date

June 2025

Product Description

Medical Devices Zone (medicaldeviceszone.com) provides medical device users, clinicians and patients with a range of resources, including: the latest news; peer-reviewed content from partnered journals; exclusive interviews and commentaries from opinion leaders and informative webinars.

Contact Information

Taylor & Francis Customer Services - support@taylorfrancis.com

Or contact the Medical Devices Team directly via the [Contact Us](#) page.

Notes

This report supersedes all previous versions. Based on Voluntary Accessibility Product Template (VPAT®) Version 2.5, International Edition.

Evaluation Methods Used

Accessibility testing tools: Siteimprove.com with site target set to WCAG 2.2 Levels A and AA, with ARIA and accessibility best practices included, to identify issues and potential issues. Accessibility Insights for Web (Edge Extension), and accessibility bookmarklets have also been used to support manual testing. **Assistive technologies:** Non-Visual Desktop Access (NVDA) screen reader, as well as exclusive use of the keyboard to navigate site content and test user interface functionality.

Laptop: Microsoft Edge 135.0.3179.98 and Chrome Version 137.0.7151.105 on a DELL laptop running Microsoft Window 11 version 23H2. **Resize display settings:** 1280 × 1024 and 1280 × 768, with scaling at 100%, and browser set to 200%. **Reflow display settings:** 1280 × 1024, with scaling at 100%, and browser set to 400%.

Mobile: Samsung Galaxy FE, running Android 15 and Chrome Version 137.0.7151.115. Used for checking Orientation with locked and unlocked screen rotation settings.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included in report	Not included in report
Web Content Accessibility Guidelines 2.0	Levels A and AA	Level AAA
Web Content Accessibility Guidelines 2.1	Levels A and AA	Level AAA
Web Content Accessibility Guidelines 2.2	Levels A and AA	Level AAA
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes	n/a
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) and EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes	n/a

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Visual summary of WCAG 2.2 compliance

Supported = green. Partially supported = orange. Not applicable = grey. To be tested/confirmed = purple.

Level A, 32 criteria: Supported × 10. Partially supported × 9. Not applicable × 5. To be tested/confirmed × 8.

Level AA, 24 criteria: Supported × 10. Partially supported × 3. Not applicable × 1. To be tested/confirmed × 10.

Principle	P	P	P	P	O	O	O	O	O	U	U	U	R
Guideline	1.1	1.2	1.3	1.4	2.1	2.2	2.3	2.4	2.5	3.1	3.2	3.3	4.1
Level A	1.1.1	1.2.1	1.3.1	1.4.1	2.1.1	2.2.1	2.3.1	2.4.1	2.5.1	3.1.1	3.2.1	3.3.1	4.1.1
Level A	n/a	1.2.2	1.3.2	1.4.2	2.1.2	2.2.2	n/a	2.4.2	2.5.2	n/a	3.2.2	3.3.2	4.1.2
Level A	n/a	1.2.3	1.3.3	n/a	2.1.4	n/a	n/a	2.4.3	2.5.3	n/a	3.2.6	3.3.7	n/a
Level A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2.4.4	2.5.4	n/a	n/a	n/a	n/a
Level AA	n/a	1.2.4	1.3.4	1.4.3	n/a	n/a	n/a	2.4.5	2.5.7	3.1.2	3.2.3	3.3.3	4.1.3
Level AA	n/a	1.2.5	1.3.5	1.4.4	n/a	n/a	n/a	2.4.6	2.5.8	n/a	3.2.4	3.3.4	n/a
Level AA	n/a	n/a	n/a	1.4.5	n/a	n/a	n/a	2.4.7	n/a	n/a	n/a	3.3.8	n/a
Level AA	n/a	n/a	n/a	1.4.10	n/a	n/a	n/a	2.4.11	n/a	n/a	n/a	n/a	n/a
Level AA	n/a	n/a	n/a	1.4.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Level AA	n/a	n/a	n/a	1.4.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Level AA	n/a	n/a	n/a	1.4.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Table 1: Success Criteria, Level A

Notes: the Conformance Level and Remarks and Explanations are evaluated for the Website only. Electronic documents, Software, and Authoring Tool are not applicable.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web) (Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Partially Supports	<p>Non-text content that is presented to the user has a text alternative that serves the equivalent purpose.</p> <p>Issues:</p> <ul style="list-style-type: none">• On the Journal Content page, there are two occurrences where a descriptive text label is missing.• Remediation Q3 2025.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Most podcasts and videos have transcripts provided. Some videos have the transcript directly below, other videos need to be viewed in full screen mode to view the transcript.</p> <p>Issues:</p> <ul style="list-style-type: none"> • Transcripts are not available for all video content. For example: https://www.bioanalysis-zone.com/videos/bioanalysis-rising-star-award-an-interview-with-the-2024-winner/ About Medical Devices Zone • Remediation Q2 2026.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Most of our videos have closed captions, and these can be toggled on and off.</p> <p>Issues:</p> <ul style="list-style-type: none"> • Closed captions are not available for all video content. For example: About Medical Devices Zone • Remediation Q2 2026.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing scheduled for November 2025 to confirm that actions, descriptions, and other important non-audio content in videos are described in captions, a separate audio track, or a text-based alternative like a screenplay.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p> <p>Pages have Landmarks for navigation, banner, and content info (footer).</p> <p>Issues:</p> <ul style="list-style-type: none"> • Heading levels are skipped with pages often missing a Heading Level 3 and/or 4 (H1, H2, H5). Correcting this improves accessibility and SEO. • The homepage does not have a Heading 1. • Nine occurrences on the Journal content page where heading structure is not as expected. • Remediation Q2 2026. <p>Note:</p> <ul style="list-style-type: none"> • Pages do not have a “main content” landmark, or “skip to main content” link (also see 2.4.1 Bypass Blocks).

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that where alternative style sheets are used, or other formatting changes applied, the logical reading order can be programmatically determined and understood by assistive technologies.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>Link text appears throughout the site as follows:</p> <ol style="list-style-type: none"> 1. Small purple letters in block capitals – these are underlined in the same color, once they receive focus by either mouse or keyboard. 2. Dark blue letters in sentence case – when receiving focus by mouse they change color to green and become underlined. When receiving focus by keyboard they remain dark blue and become underlined. 3. Pink letters in sentence case – these are underlined in the same color, once they receive focus by either mouse or keyboard. <p>Speech software, such as Microsoft Voice Access, provides interactive element number labels when prompted. For some users it may be visually difficult to determine which text on the page is a link, preventing the use of speech software to say “click [link name].”</p>

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Color is not the only visual means of conveying information, indicating and action, prompting a response, or distinguishing a visual element.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Both audio only and video content does not play automatically, and can be played, paused, stopped, and offers playback speed and volume control.</p> <p>Audio content (Podcasts) must be opened in Soundcloud to access the player controls. These are operated using keyboard shortcuts – press the H key to access the keyboard shortcut menu.</p>

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All functionality is operable using the keyboard only. There are no specific timings to complete individual keystrokes.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>There are no situations where you enter a modal with the keyboard and can't get back to where you were.</p> <p>Users are advised of the exit method where it is not a standard exit method (Arrow, Tab, Esc).</p>

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not applicable	The website does not provide character key shortcuts.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	There are no pages or functionality with time limits.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The site does not contain any automatically moving/animating content that lasts more than five seconds.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	There is no flashing content on the site.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Partially Supports</p>	<p>The site uses markup for headings and styles. The homepage, before logging in, has a “skip to main content” link, and four Landmarks to define the different parts of the page to support navigation with assistive technologies.</p> <p>Pages have landmarks for navigation, banner, and content info (footer), defining those parts of the page to support navigation with assistive technologies.</p> <p>Issues:</p> <ul style="list-style-type: none"> • Pages do not have a “main content” landmark, or “skip to main content” link. • The homepage does not have a Heading 1. • Remediation Q2 2026.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	This site contains a title on every page to lets users know where they are and what type of content to expect.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that focusable elements receive focus in an order that preserves meaning and operability. When a keyboard user tabs through a page, the order goes from top to bottom and left to right, as you would read the page.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>The purpose of each link on the website can be determined from the link text alone or from the programmatic context of the link.</p> <p>Issues:</p> <ul style="list-style-type: none"> • There are 199 occurrences across 88 pages where there are links on the page without a text alternative. These are predominantly the “Search” icons on the main navigation bar, previous and next chevrons on carousels, video thumbnails, and social media icons. • Remediation Q3 2025.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not evaluated	Further testing is scheduled for November 2025 to confirm that actions carried out using a gesture (swiping, pinching, and so on) or drawing, can also be done with a button or buttons.
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not evaluated	Further testing is scheduled for November 2025 to confirm that functions that use a single pointer are completed when the user releases the pointer. For example, pressing a button, is triggered on mouse-up.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	User interface components with labels that include text or images of text, have a corresponding accessible name that contains the text that is presented visually.
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not applicable	The site does not have functionality operated by device motion or user motion.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The default language of all pages in this website is identified using the lang attribute in the html element (en-US).

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that when a user interface component receives focus, it does not initiate unexpected changes.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated.	Further testing is scheduled for November 2025 to confirm there are no unexpected changes of context on user input.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Partially Supports	This website contains a consistent footer that includes a “Contact us” section which provides an email address, an online form, and postal address.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that where errors are automatically detected and clearly indicated and described to the user. Error messages are provided as text and announced for assistive devices.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that help is provided to prevent form errors – sometimes the label is enough on its own, elsewhere additional hint text or instructions are provided.
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	This website allows native browser autofill function to auto-populate fields as desired by the user.

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <ul style="list-style-type: none"> WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web) (Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not applicable	<p>Note: this criterion has been removed from WCAG 2.2.</p> <p>HTML and browsers have improved at handling coding errors. And, assistive technology no longer parses the code directly, but now relies on the browser to do it, making this guideline outdated.</p> <p>Most issues it covered will now fall under WCAG 1.3.1 Info and Relationships or WCAG 4.1.2 Name, Role, Value criteria.</p>

Criteria WGAG 2.2 Level A	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>User interface components in the site provide programmatic name, role, and/or state information.</p> <p>Issues:</p> <ul style="list-style-type: none"> • List boxes on Journal Content page are missing alt-text. • Remediation Q3 2025.

Table 2: Success Criteria, Level AA

Notes: Taylor & Francis Online is a website and all electronic docs are generated by a third party. As such, the Conformance Level and Remarks and Explanations are evaluated for Web only in the EN 301 549 criteria and Revised Section 508, as all others are not applicable.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.4 (Web)• 10.1.2.4 (Non-web document)• 11.1.2.4 (Open Functionality Software)• 11.1.2.4 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web) (Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not evaluated	Further testing is scheduled for November 2025 to confirm that captions are provided during all live (real-time) presentations. Captions not only include dialogue, but also identify who is speaking and notate sound effects and other significant audio.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that audio description is provided for all pre-recorded video content. Actions, descriptions, and other important non-audio content is described in captions or a separate audio track.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The content of the site does not restrict its view and operation to a single-display orientation.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The purpose of each input field collecting information about the user can be programmatically determined when the input field serves a purpose identified in the Input Purposes for User Interface Components section; and the content is implemented using technologies with support for identifying the expected meaning for form input data.

<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>The visual presentation of body text and images of text has a ratio of at least 4.5:1. Large-scale text and images of large-scale text have a ratio of at least 3:1. Text that is part of a logo or brand name has no minimum contrast requirement.</p> <p>Issues:</p> <ul style="list-style-type: none"> • 101 occurrences across 41 pages where color contrast is below minimum contrast requirements. Predominantly outbound links. • Email address light grey text (A6A6A6) on white. Ratio 2.43:1. • Link text in pink (DD6464) on white. Ratio 3.45:1. • Light grey text (CCCCCC) code is saying it's against a white background, visual display is black. Ratio 1.61:1. • Pink (E48383) buttons with white text. Ratio 2.67:1. • Event Details in orange text (F48667), on white. Ratio 2.48:1. • The CSS text colors will be fixed by Q3 2025. Any links that were manually amended, and therefore not resolved by the CSS update, will be fixed as and when pages are reviewed.
---	---------------------------	--

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The site content and user interfaces support standard zoom capabilities built into modern web browsers and operating systems.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	<p>Further testing is scheduled for November 2025 to confirm that text is used to convey information, rather than images of text, except where:</p> <ul style="list-style-type: none"> • The image of text can be visually customized by the user requirements. • A particular presentation of text is essential to the information being conveyed (such as text that is part of a logo or brand name).

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Content throughout the site is reflowable and responsive.
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Most usable components like form fields and buttons, have a minimum contrast ratio of 3:1.</p> <p>Issues:</p> <ul style="list-style-type: none"> • Pink (E48383) buttons with white text. Ratio 2.67:1. Webinar page example: Cardiovascular imaging: latest innovations and use of AI • Remediation Q3 2025.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>The following are all supported for text throughout the website:</p> <ul style="list-style-type: none"> • Line height (line spacing) to at least 1.5 times the font size; • Spacing following paragraphs to at least 2 times the font size; • Letter spacing (tracking) to at least 0.12 times the font size; • Word spacing to at least 0.16 times the font size.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not evaluated	<p>Further testing is scheduled for November 2025 to confirm that when new content appears, which has been triggered by hover or keyboard focus, such as tooltips, sub-menus, or pop-up, users are able to:</p> <ul style="list-style-type: none"> • Dismiss it. • Interact with it, without it disappearing. • Have enough time to read or engage with it.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Search, footer links, top navigation bar are utilized to allow for multiple ways to locate a webpage within the website.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>This website contains headings and each of them identifies its section of the content. Page sections with the same name serve the same purpose across the website, ensuring users can understand and predict content structure.</p> <p>Issues:</p> <ul style="list-style-type: none"> • Heading levels are skipped with pages often missing a Heading Level 3 and/or 4 (H1, H2, H5). Correcting this improves accessibility and SEO. • The homepage does not have a Heading 1. • Remediation Q2 2026.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	<p>Further testing is scheduled for November 2025 to confirm that there is visible keyboard focus styling to indicate which element you're currently focused on. This may take different forms, such as to visually change the button, place a cursor bar in the text field, or outline the element.</p> <p>Issues:</p> <ul style="list-style-type: none"> • 127 occurrences, across 39 pages, that require manual review to confirm if there is a visible keyboard focus indicator. • Remediation Q1 2026.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not evaluated	<p>Further testing is scheduled for November 2025 to confirm that all content receiving Keyboard focus is always at least partially visible on the user's browser window, ensuring it is completely hidden by other content such as sticky headers, footers, or modals.</p>

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not applicable	This website does not contain any user interface components that require dragging movements.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	There are no overlapping targets and target size is a minimum of 24 × 24 pixels in size.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All content on the site is in American English and the Lang Attribute is en-US. This site does not have any content in any other language.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Repeated components are presented in the same relative order each time they appear across the website.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Components that have the same functionality within the site are identified consistently throughout the website.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that helpful suggestions are provided to help users correct errors, and identify required fields that were not completed. This helps prevent incorrect data being submitted, users abandoning the form due to confusion and frustration about the information/format required.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not evaluated	Further testing is scheduled for November 2025 to confirm that important forms like a legal agreement or submitting financial information offer the opportunity to check the information entered before sending.
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not evaluated	Further testing is scheduled for November 2025 to confirm that authentication is possible without cognitive challenges. And where memorization or solving puzzles are presented, there is alternative authentication method or effective support mechanism in place.

Criteria WCAG 2.2 Level AA	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not evaluated	Further testing is scheduled for November 2025 to confirm that status messages like form errors, success pop-ups, and cookie policy acceptance, are communicated to assistive technologies, such as screen readers.

Table 3: Success Criteria, Level AAA

Notes: Not evaluated. Medical Devices Zone was not evaluated for WCAG 2.0, 2.1, or 2.2 Level AAA conformance.

Revised Section 508 Report

Notes: n/a

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes: See Tables 1 and 2 for details on how each of the below criteria are met via WCAG standards.

Criteria Section 508 Chapter 3	Conformance Level	Remarks and Explanations
302.1 Without Vision Where a visual mode of operation is provided, there is at least one mode of operation that does not require user vision. WCAG: 1.1.1, 1.2.1, 1.2.3, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.2, 2.1.1, 2.1.2, 2.2.1, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.3, 3.3.4, 4.1.1, 4.1.2.	Partially Supports	The site can be perceived, operated, and understood by users without vision, and recognized by a screen reader. Issues: Refer to the WCAG table entries.
302.2 With Limited Vision Where a visual mode of operation is provided, there is at least one mode of operation that enables users to make use of limited vision. WCAG: 1.1.1, 1.2.1, 1.2.3, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.3, 1.4.4, 1.4.5, 2.1.1, 2.1.2, 2.2.1, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.2, 3.3.3, 3.3.4, 4.1.2.	Partially Supports	The website can be perceived, operated, and understood, and most content meets color contrast; all text is reflowable and resizable. Issues: Refer to the WCAG table entries.

Criteria Section 508 Chapter 3	Conformance Level	Remarks and Explanations
<p>302.3 Without Perception of Color</p> <p>Where a visual mode of operation is provided, there is at least one visual mode of operation that does not require user perception of colour.</p> <p>WCAG: 1.4.1, 1.4.3, 3.3.1, 3.3.4.</p>	Partially Supports	<p>Most UI elements on the website can be perceived, operated, and understood without perception of color.</p> <p>Issues:</p> <p>Refer to the WCAG table entries.</p>
<p>302.4 Without Hearing</p> <p>Where there is an audible mode of operation, there is at least one mode of operation that does not require user hearing.</p> <p>WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.4, 1.3.3, 3.1.1, 3.1.2, 3.3.4.</p>	Partially Supports	<p>Most content can be perceived, operated, and understood for users without hearing.</p> <p>Captions and transcripts are not available for all content.</p> <p>Issues:</p> <p>Refer to the WCAG table entries.</p>

Criteria Section 508 Chapter 3	Conformance Level	Remarks and Explanations
<p>302.5 With Limited Hearing</p> <p>Where there is an audible mode of operation, there is at least one mode of operation that enables uses to make use of limited hearing.</p> <p>WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.4, 1.3.3 1.4.2, 3.1.1, 3.1.2, 3.3.4.</p>	Partially Supports	<p>Most content can be perceived, operated, and understood by users with limited hearing.</p> <p>Captions and transcripts are not available for all content.</p> <p>Issues:</p> <p>Refer to the WCAG table entries.</p>
<p>302.6 Without Speech</p> <p>Where speech is used for input, control, or operation, there is at least one mode of operation that does not require user speech.</p> <p>WCAG: n/a</p>	Not Applicable	No functionality on the website requires speech control.
<p>302.7 With Limited Manipulation</p> <p>Where a manual mode of operation is provided, there is at least one mode of operation that does not require fine motor control or simultaneous manual operations.</p> <p>WCAG: 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.2.1, 3.2.4, 3.3.3, 3.3.4, 4.1.1, 4.1.2.</p>	Supports	No content on the site requires simultaneous manual operations.

Criteria Section 508 Chapter 3	Conformance Level	Remarks and Explanations
302.8 With Limited Reach and Strength Where a manual mode of operation is provided, there is at least one mode of operation that is operable with limited reach and limited strength. WCAG: 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.2.1, 3.2.4, 3.3.3, 3.3.4, 4.1.1, 4.1.2.	Supports	The website is operable by keyboard only and no function requires operation by motion.
302.9 With Limited Language, Cognitive, and Learning Abilities There are features that make the site simpler and easier to use by individuals with limited cognitive, language, and learning abilities. WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.3, 1.2.4, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.2, 1.4.5, 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.2, 3.3.3, 3.3.4, 4.1.1, 4.1.2.	Supports	There is no time-limited function on the website.

Chapter 4: [Hardware](#)

Notes: Not applicable. Medical Devices Zone is a website and includes no hardware to evaluate.

Chapter 5: [Software](#)

Notes: Not applicable. Medical Devices Zone is a website and includes no software to evaluate.

Chapter 6: [Support Documentation and Services](#)

Notes: n/a

Criteria Section 508 Chapter 6	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features Documentation lists and explains how to use the accessibility and compatibility features; includes guidance for features that are built-in features, and compatible with assistive technologies.	Supports	The website has an accessibility statement and help page found at https://www.medicaldeviceszone.com/accessibility-statement-for-medicaldeviceszone-com-powered-by-taylor-francis/
602.3 Electronic Support Documentation Documentation in electronic format, including web-based self-service support, meets WCAG A and AA criteria.	See WCAG 2.2 section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation Where support documentation is only provided in non-electronic formats,	Supports	The accessibility help page can be printed from any browser.

Criteria Section 508 Chapter 6	Conformance Level	Remarks and Explanations
alternative formats are provided upon request.		
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features Support services include information on the accessibility and compatibility features required by 602.2.	Supports	The accessibility help page . ¹ can be printed from any browser.
603.3 Accommodation of Communication Needs There is a clear communication method for users, and those with communication needs will have these accommodated by the support services.	Supports	This website contains a consistent footer that includes a “Contact us” section which provides an email address, an online form, and postal address.

EN 301 549 Report

Notes: n/a

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes: See Tables 1 and 2 for details on how each of the below criteria are met via WCAG standards.

Criteria EN 301 549 Chapter 4	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision Where a visual mode of operation is provided, there is at least one mode of operation that does not require user vision. WCAG: 1.1.1, 1.2.1, 1.2.3, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.2, 2.1.1, 2.1.2, 2.2.1, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.3, 3.3.4, 4.1.1, 4.1.2.	Partially Supports	The website can be perceived, operated, and understood via screen-reader. Issues: <ul style="list-style-type: none">Refer to the WCAG table entries.
4.2.2 Usage with limited vision Where a visual mode of operation is provided, there is at least one mode of operation that enables users to make use of limited vision. WCAG: 1.1.1, 1.2.1, 1.2.3, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.3, 1.4.4, 1.4.5, 2.1.1, 2.1.2, 2.2.1, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.2, 3.3.3, 3.3.4, 4.1.2.	Partially Supports	The website can be perceived, operated, and understood, and most content meets color contrast; all text is reflowable and resizable. Issues: Refer to the WCAG table entries.

Criteria EN 301 549 Chapter 4	Conformance Level	Remarks and Explanations
<p>4.2.3 Usage without perception of colour</p> <p>Where a visual mode of operation is provided, there is at least one visual mode of operation that does not require user perception of colour.</p> <p>WCAG: 1.4.1, 1.4.3, 3.3.1, 3.3.4.</p>	Partially Supports	<p>Most UI elements on the website can be perceived, operated, and understood without perception of color.</p> <p>Issues: Refer to the WCAG table entries.</p>
<p>4.2.4 Usage without hearing</p> <p>Where there is an audible mode of operation, there is at least one mode of operation that does not require user hearing.</p> <p>WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.4, 1.3.3, 3.1.1, 3.1.2, 3.3.4.</p>	Partially Supports	<p>Most content can be perceived, operated, and understood for users without hearing. Captions and transcripts are not available for all content.</p> <p>Issues: Refer to the WCAG table entries.</p>

Criteria EN 301 549 Chapter 4	Conformance Level	Remarks and Explanations
<p>4.2.5 Usage with limited hearing</p> <p>Where there is an audible mode of operation, there is at least one mode of operation that enables users to make use of limited hearing.</p> <p>WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.4, 1.3.3 1.4.2, 3.1.1, 3.1.2, 3.3.4.</p>	Partially Supports	<p>Most content can be perceived, operated, and understood by users with limited hearing.</p> <p>Captions and transcripts are not available for all content.</p> <p>Issues:</p> <p>Refer to the WCAG table entries.</p>
<p>4.2.6 Usage with no or limited vocal capability</p> <p>Where speech or other vocal prompt is used for input, control, or operation, there is at least one mode of operation that does not require user speech.</p> <p>WCAG: n/a</p>	Not Applicable	No functionality on the website requires speech control.
<p>4.2.7 Usage with limited manipulation or strength</p> <p>Where a manual mode of operation is provided, there is at least one mode of operation that does not require fine motor control or simultaneous manual operations.</p> <p>WCAG: 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.2.1, 3.2.4, 3.3.3, 3.3.4, 4.1.1, 4.1.2.</p>	Supports	No content on the site requires simultaneous manual operations.

Criteria EN 301 549 Chapter 4	Conformance Level	Remarks and Explanations
<p>4.2.8 Usage with limited reach</p> <p>Where a manual mode of operation is provided, there is at least one mode of operation that is operable with limited reach and limited strength.</p> <p>WCAG: 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.2.1, 3.2.4, 3.3.3, 3.3.4, 4.1.1, 4.1.2.</p>	Supports	The website is operable by keyboard only and no function requires operation by motion.
<p>4.2.9 Minimize photosensitive seizure triggers</p> <p>Where there are visual modes of operation, there is at least one mode of operation that minimizes the potential for triggering photosensitive seizures.</p> <p>WCAG: 2.3.1.</p>	Supports	Refer to 2.3.1 Three Flashes or Below Threshold (Level A) in Table 1 of the WCAG 2.2 section.
<p>4.2.10 Usage with limited cognition, language or learning</p> <p>There are features that make the site simpler and easier to use by individuals with limited cognitive, language, and learning abilities.</p> <p>WCAG: 1.1.1, 1.2.1, 1.2.2, 1.2.3, 1.2.4, 1.2.5, 1.3.1, 1.3.2, 1.3.3, 1.4.1, 1.4.2, 1.4.5, 2.1.1, 2.2.1, 2.2.2, 2.4.1, 2.4.2, 2.4.3, 2.4.4, 2.4.5, 2.4.6, 2.4.7, 3.1.1, 3.1.2, 3.2.1, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.3.2, 3.3.3, 3.3.4, 4.1.1, 4.1.2.</p>	Supports	There is no time-limited function on the website, except for security reasons.

Criteria EN 301 549 Chapter 4	Conformance Level	Remarks and Explanations
4.2.11 Privacy The privacy of users is maintained when using accessibility features, and to the same level of privacy experienced by other users. WCAG: 3.3.4.	Not evaluated	Important forms like a legal agreement or submitting financial information offer the opportunity to check the information entered before sending.

Chapter [5: Generic Requirements](#)

Notes: Not applicable. Medical Devices Zone is a website and web requirements are evaluated in Chapter 9.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not applicable. Medical Devices Zone does not have two-way voice communication capabilities.

Chapter [7: ICT with Video Capabilities](#)

Notes: See Tables 1 and 2 for details on how each of the below criteria are met via WCAG standards.

Criteria EN 301 549 Chapter 7	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required

Criteria EN 301 549 Chapter 7	Conformance Level	Remarks and Explanations
7.1.1 Captioning playback Where videos have synchronized audio, they are able to display captions. Where closed captions are provided, the user is able to choose to display these. WCAG: 1.2.2, 1.2.4.	Partially Supports	Not all content has captions available. Issues: Refer to the WCAG table entries.
7.1.2 Captioning synchronization The mechanism to display captions preserves synchronization between the audio and the corresponding captions as follows. WCAG: 1.2.2, 1.2.4.	Not evaluated	Not evaluated
7.1.3 Preservation of captioning Where video with synchronized audio is transmitted, converted or recorded, the caption data is preserved to ensure it can be displayed as per 7.1.1 and 7.1.2.	Not evaluated	Not evaluated
7.1.4 Captions characteristics The user can adapt the displayed characteristics of captions to their individual requirements, except where the captions are displayed as unmodifiable characters.	Does Not Support	Users cannot determine sizing/styling of captions.

Criteria EN 301 549 Chapter 7	Conformance Level	Remarks and Explanations
7.1.5 Spoken subtitles Video with synchronized audio, has a mode of operation to provide a spoken output of the captions.	Not evaluated	Not evaluated.
7.2.1 Audio description playback Video with synchronized audio, has a mechanism to select and play available audio description to the default audio channel. Where technologies do not have explicit and separate mechanisms for audio description, users can select and play several audio tracks.	Not evaluated	Not evaluated
7.2.2 Audio description synchronization Synchronization between the audio/visual content and the corresponding audio description is preserved.	Not evaluated	Not evaluated
7.2.3 Preservation of audio description Where video with synchronized audio is transmitted, converted or recorded, the audio description data is preserved to ensure it can be played as per 7.2.1 and 7.2.2.	Not evaluated	Not evaluated
7.3 User controls for captions and audio description Videos with associated audio content, have user controls to activate subtitling and audio description.	Not evaluated	Not evaluated

Chapter [8: Hardware](#)

Notes: Not applicable. Medical Devices Zone is a website and includes no hardware to evaluate.

Chapter [9 : Web \(see \[WCAG 2.x section\]\(#\)\)](#)

Notes: This chapter is covered by Tables 1 and 2 in the WCAG 2.2 section.

Chapter [10: Non-Web Documents](#)

Notes: Not evaluated. Medical Devices Zone is a website and supplemental materials attached to article content have not been evaluated for accessibility.

Chapter [11: Software](#)

Notes: Not applicable. Medical Devices Zone is a website and includes no software to evaluate.

Chapter [12: Documentation and Support Services](#)

Notes: n/a

Criteria EN 301 549 Chapter 12	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features Documentation lists and explains how to use the accessibility and compatibility features; includes guidance for features that are built-in features, and compatible with assistive technologies.	Supports	The website has an accessibility statement and help page found at: https://www.medicaldeviceszone.com/accessibility-statement-for-medicaldeviceszone-com-powered-by-taylor-francis/

Criteria EN 301 549 Chapter 12	Conformance Level	Remarks and Explanations
12.1.2 Accessible documentation Product documentation is available in at least one of the following electronic formats: <ul style="list-style-type: none"> a Web format that conforms to the requirements (as per Clause 9) a non-web format (as per Clause 10).	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features Information on the accessibility and compatibility features are provided.	Supports	The accessibility help page can be printed from any browser.
12.2.3 Effective communication Support services shall accommodate the communication needs of individuals with disabilities either directly or through a referral point.	Supports	This website contains a consistent footer that includes a “Contact us” section which provides an email address, an online form, and postal address.

Criteria EN 301 549 Chapter 12	Conformance Level	Remarks and Explanations
12.2.4 Accessible documentation Documentation provided by support services is available in at least one of the following electronic formats: <ul style="list-style-type: none"> • a Web format that conforms to the requirements (as per Clause 9) • a non-web format (as per Clause 10). 	See WCAG 2.2 section	See information in WCAG 2.2 section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable. Medical Devices Zone is not an ICT that provides relay or emergency service access.

Legal Disclaimer (Taylor & Francis)

The Accessibility Conformance Report (ACR) is a self-assessment document which discloses how accessible Information and Communication Technology products are in accordance with global standards.

The Voluntary Product Accessibility Template utilized to generate this ACR, does not guarantee product accessibility but provides transparency around the product(s) and enables direction when accessing accessibility requirements.

Taylor & Francis has chosen to complete the ACR using the international version of the VPAT, which encompasses Section 508 (US), EN 301 549 (EU), and WCAG2.2 for its products.

This document is provided on an “as is” basis as information only and is subject to change without notice. Taylor & Francis excludes all liability whether in contract, tort (including liability for negligence but not including any liability that cannot be limited or excluded by law), or otherwise for the suitability, accuracy, or fitness for any purpose of the document. Save as expressly permitted in these terms, all warranties, conditions, or other terms implied by statute, common law, or otherwise are excluded by Informa to the fullest extent permitted by law.

[end of document]